

DETAILED ACTION

Drawings

1. Figure 3 is objected under 37 CFR 1.83(a) because it fails to comply with the embodiment as described in the specification pages 5-7. The embodiment among others describes “determining if the added cell in the list corresponds to the detected set cell by performing uplink synchronization and, if uplink synchronization is achieved: confirming that the detected set cell is the added cell of the list; converting the temporary relation into a permanent relation; and, removing the added cell from the list; and, if uplink synchronisation is not achieved, putting the added cell in a specific position of the list.”, which is not shown in the Figure 3. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after

Art Unit: 2617

the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held

Allowable Subject Matter

2. **Claims 11, 12, 14-16 and 18** are allowed.
3. The following is a statement of reasons for the indication of allowable subject matter: The present invention is directed toward: determining if the added cell in the list corresponds to the detected set cell by performing uplink synchronization and, if uplink synchronization is achieved: confirming that the detected set cell is the added cell of the list; converting the temporary relation into a permanent relation; and, removing the added cell from the list; and, if uplink synchronisation is not achieved, putting the added cell in a specific position of the list. No prior art has been found to show or suggest claimed invention in the specific manor that is disclosed in the claimed environment of independent claims 11 and 15.

Conclusion

4. This application is in condition for allowance except for the following formal matters:

Drawing of Fig. 3, as explained above.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 25 USPQ 74, 453 O.G. 213, (Comm'r Pat. 1935).

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JALALEDDIN AMIRMOKRI whose telephone number is (571)270-5880. The examiner can normally be reached on M-F 8am-5m EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, PATRICK EDOUARD can be reached on (571)272-7603. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/599,798
Art Unit: 2617

Page 5

/J.A./

03/31/10

/Patrick N. Edouard/

Supervisory Patent Examiner, Art Unit 2617